

PRODUCT CATALOGUE







Becce Shocks focuses on manufacturing high performance reservoir shocks for all off-road enthusiasts from racers, expedition lovers to everyone who shares our passion for off-roading & motorsports.

Our team has been involved in motorsports since 1982 competing in national and international events all over Europe, the Middle East & Asia. Our excellence in engineering has been proven by our solution partners' success in the automotive technology market distributing our products to over 36 countries worldwide in the last 28 years.

SOLUTION PARTNERS













COILOVER REMOTE RESERVOIR

CRR series are coilover shocks with remote reservoir. They have been a fan favorite from the beginning and can be fitted to any vehicle. If you are racing cross-country, trophy or just out for some hardcore off-roading, our coilovers are there to improve your overall performance and experience.

These shocks are usually used with 2 springs that can be chosen specifically for your vehicle. Spring plates can be customized; either flat, raised or extra raised. A spring slider comes with all CRR series shocks.

All aluminum components on the monotube body are of the highest quality 7000 series aluminum; specially coated for longevity.

2.0 CRR SERIES			
CODE	TRAVEL	COMPRESSED LENGTH	EXTENDED LENGTH
CRR2008	8 INCHES	14.76"	22.83"
CRR2010	10 INCHES	17.12"	27.16"
CRR2012	12 INCHES	19.48"	31.10"
CRR2014	14 INCHES	21.85"	35.82"
CRR2016	16 INCHES	24.35"	40.54"

2.5 CRR SERIES			
CODE	TRAVEL	COMPRESSED LENGTH	EXTENDED LENGTH
CRR2508	8 INCHES	15.15"	23.22"
CRR2510	10 INCHES	17.52"	27.55"
CRR2512	12 INCHES	19.68"	31.50"
CRR2514	14 INCHES	22.24"	36.22"
CRR2516	16 INCHES	24.71"	40.92"





RACING REMOTE RESERVOIR

RRR Series is a high performance universal shock with the best damping performance and can be fitted to any vehicle.

All aluminum components on the monotube body are of the highest quality 7000 series aluminum; specially coated for longevity.

Shims can be arranged on request for customized damping. External reservoir helps keep the oil cool and keeps nitrogen and oil separate for world class ride quality.

Braided stainless steel hose is a must to help keep flowing oil cool and to provide safety towards external damage. Hose fitment options can be adjusted upon request and build specially for your ride.

2.0 RRR SERIES			
CODE	TRAVEL	COMPRESSED LENGTH	EXTENDED LENGTH
RRR2008	8 INCHES	14.76"	22.83"
RRR2010	10 INCHES	17.12"	27.16"
RRR2012	12 INCHES	19.48"	31.10"
RRR2014	14 INCHES	21.85"	35.82"


2.5 SERIES			
CODE	TRAVEL	COMPRESSED LENGTH	EXTENDED LENGTH
CRR2508	8 INCHES	15.15"	23.22"
CRR2510	10 INCHES	17.52"	27.55"
CRR2512	12 INCHES	19.68"	31.50"
CRR2514	14 INCHES	22.24"	36.22"
CRR2516	16 INCHES	24.71"	40.92"



BOLT-ON KITS

Bolt-on series are specially manufactured for your vehicle to improve the offroad quality and enhance your car's performance without having to make any further modifications to your vehicle. The kit will fit in your vehicle's original suspension spots (no welding or cutting required).

Kits for all vehicles are tested in real life conditions during expeditions and races to maximize the performance for each and every brand. We use the same technology and material when building our bolt-on kits as we use in our high-end performance shocks.





BOLT-ON KITS







RUBICON JK +100MM

TOYOTA HILUX REVO +55MM

MITSUBISHI TRITON/L200 +55MM



LAND ROVER DEFENDER ECO +55MM



FORD RANGER +55MM



SUBARU FORESTER RALLY +55MM





NISSAN PATROL +55MM



NISSAN PATROL +100MM





SPECIAL PROJECTS

Custom shocks can be built for any special projects.



BUMP STOPS

Bumpstops available in 2.0" and 2.5" diameters.

Bumpstops available in 3" and 4" travel.



SPRINGS

Springs available in 2.5" and 3.0" diameters.

Bolt-on spring kits available for certain vehicles.



ANTI-ROLL TECHNOLOGY

Ground breaking technology that helps you keep four wheels on the road.

Can be added to your shocks upon request.



HIGH/LOW SPEED ADJUSTMENT UNIT

Tested for precision.

The best high/low speed adjustment unit for you to tackled different terrains with maximum performance.





WARRANTY

Becce Performance Shocks reserves the right to change or modify any of the products. Prices and specs are subject to change without notice. Plating and other coatings used are warranted to be free from defects at time of sale only. They may degrade over time depending on environmental conditions beyond the control of Becce Performance Shock.

Any part or material that is defective prior to installation so as not to be usable will be repaired or replaced. Any defective part or material must be reported to Becce Performance Shocks within 90 days of purchase to have them repaired or replaced.

The warranty does not cover; crash damage, abuse, modified and/or use of non- Becce Performance parts, lack of maintenance or incorrect supplied dimensions and or specifications on custom orders.

The user shall determine the suitability of the product for his or her intended use and shall assume all risk and liability in connection therewith.

If it was the error of Becce Performance Shocks, he or she will be reimbursed the cost of the shipping via ground service.



RETURN POLICY

All customer returns must be authorized by Becce Performance Shocks. For return authorization please email sales@becceshocks.com.

Becce Performance Shock will not be responsible for shipping and handling on returns.

In the event that the purchased products need to be returned for any reason there will be a 15% restocking fee. Custom orders, scratched and/or otherwise damaged parts cannot be returned to stock.

*The restocking fee covers the costs that Becce Performance Shocks have incurred during the fulfillment of that order, including but not limited to: merchant processing fees, wages, transportation fees, inventory shortage, and materials.





CONTACT US



+90 542 540 2012



info@becceshocks.com

WWW.BECCESHOCKS.COM



BecceShocks



BeccePerformanceShocks